

ECOSF100


Visible Light
Facial Recognition Technology




VISIT NOW



www.ecotimeprint.com



ECOSF100



ECO SF100 is a time attendance terminal with visible light facial recognition technology. It will automatically perform recognition for a target in a long distance when it detects a human face in the detection distance to deliver better recognition quality in terms of speed and accuracy than the previous near-infrared facial recognition terminals.

Terminal Overview




SPECIFICATIONS

Model	ECOSF100
Screen	2.8 inch Color Screen
Communication	TCP/IP, WiFi, USB Flash Disk
User Template	2,000 (Fingerprints), 1,500 (Face)
Records Capacity	100,000
Memory	128MB & SDRAM 32MB
Algorithm version	10.0
Authentication Method	Face/ Fingerprint/ Password/ RFID Card (Optional)
Identification Time	<1S
Authentication Mode	1:1, 1:N
Door Access Function	Yes (Simple Door Access)
Language	English
Bell	Built-in timing bell
Operation Mode	Off-line/Online
Power	DC12V/1.5A
Operating Environment	0°C - 45°C, Humidity: 20% - 80%
Dimension(L*W*H)	170*138*32.3mm

Note: Specifications are subject to change

ECOSF100





TIMEPRINT

www.ecotimeprint.com